


pAd1127-03

pAd1127-03 is a vector designed for constructing Ad5-based oncolytic vectors (CrAds), with heterologous promoters driving the expression of the E1a gene. It is a derivative of pAd1127 in which the sequence located between the packaging signal and the E1a TATA box was replaced with a multiple cloning site. It contains *PacI* and *SwaI* sites flanking the first 353 base pairs from the Ad5 genome (including the left ITR and packaging signal), a multiple cloning site, and the E1a, E1b, and pIX coding regions. Transcriptional promoters inserted into the multiple cloning site should not contain a TATA box since the E1a TATA box is present in the plasmid. The sequences encompassing the kanamycin-resistance gene, the ? cos site, the adenovirus 0-1 map units, the multiple cloning site and the E1a, E1b, and pIX coding sequence are flanked by two *SfiI* restriction sites. These sites generate non-symmetrical sticky ends suitable for directional cloning with the other AdenoQuick2.0 plasmids (pAd1128, pAd1129, pAd1130, and their derivatives). This system is useful for constructing oncolytic vectors in a large variety of configurations, especially in the E1, pIX, E3, fiber, and E4 regions.



Polylinker	Info Sheet	Sequence	Annotations
pAd1127-03_MCS.png (260.4 KB)	Product_Informa...d1127-03.pdf (205.4 KB)	pAd1127-03.txt (6.0 KB)	pAd1127-03.gb (21.6 KB)